

1. Hurwitz EL, Morgenstern H. The effects of comorbidity and other factors on medical versus chiropractic care for back problems. *Spine*. 1997;22:2254–2264.
2. Shekelle PG, Adams AH, Chassin MR, Hurwitz EL, Brook RH. Spinal manipulation for low-back pain. *Ann Intern Med*. 1992;117:590–598.
3. Stano M, Smith M. Chiropractic and medical costs of low back care. *Med Care*. 1996;34:191–204.
4. Meade TW, Dyer S, Browne W, Townsend J, Frank AO. Low back pain of mechanical origin: randomised comparison of chiropractic and hospital outpatient treatment. *BMJ*. 1990;300:1431–1437.
5. Cherkin DC, Deyo RA, Battie M, Street J, Barlow W. A comparison of physical therapy, chiropractic manipulation, and provision of an educational booklet for the treatment of patients with low back pain. *N Engl J Med*. 1998;339:1021–1029.
6. Andersson GBJ, Lucente T, Davis AM, Kappler RE, Lipton JA, Leurgans S. A comparison of osteopathic spinal manipulation with standard care for patients with low back pain. *N Engl J Med*. 1999;341:1426–1431.
7. Carey TS, Garrett J, Jackman A, McLaughlin C, Fryer J, Smucker DR. The outcomes and costs of care for acute low back pain among patients seen by primary care practitioners, chiropractors, and orthopedic surgeons. The North Carolina Back Pain Project. *N Engl J Med*. 1995;333:913–917.
8. Kane RL, Olsen D, Leymaster C, Woolley FR, Fisher FD. Manipulating the patient: a comparison of the effectiveness of physician and chiropractor care. *Lancet*. 1974;1:1333–1336.
9. Hurwitz EL. The relative impact of chiropractic vs medical management of low back pain on health status in a multispecialty group practice. *J Manipulative Physiol Ther*. 1994; 17:74–82.
10. Koes BW, Assendelft WJ, van der Heijden GJ, Bouter LM. Spinal manipulation for low back pain. An updated systematic review of randomized clinical trials. *Spine*. 1996;21:2860–2873.
9. Sawyer CE, Kassak K. Patient satisfaction with chiropractic care. *J Manipulative Physiol Ther*. 1993;16:25–32.
10. Hazard RG, Haugh LD, Green PA, Jones PL. Chronic low back pain. The relationship between patient satisfaction and pain, impairment, and disability outcomes. *Spine*. 1994;19:881–887.
13. Hildebrandt J, Pflingsten M, Saur P, Jansen J. Prediction of success from a multidisciplinary treatment program for chronic low back pain. *Spine*. 1997;22:990–1001.

11. Cherkin DC, MacCornack FA, Berg AO. Managing low back pain—a comparison of the beliefs and behaviors of family physicians and chiropractors. *West J Med.* 1988;149:475–480.
12. Oths K. Communication in a chiropractic clinic: how a DC treats his patients. *Cult Med Psychiatry.* 1994;18:83–113.
13. Coulehan JL. Chiropractic and the clinical art. *Soc Sci Med.* 1985;21:383–390.
14. Stewart MA. Effective physician-patient communication and health outcomes: a review. *CMAJ.* 1995; 152:1423–1433.
15. Kaplan SH, Greenfield S, Ware JE Jr. Assessing the effects of physician-patient interactions on the outcomes of chronic disease. *Med Care.* 1989;27:S110–S127.
16. Cherkin D, Deyo RA, Berg AO. Evaluation of a physician education intervention to improve primary care for low-back pain, II: impact on patients. *Spine.* 1991;16:1173–1178.
17. Roland M, Morris R. A study of the natural history of back pain. Part I: development of a reliable and sensitive measure of disability in low-back pain. *Spine.* 1983;8:141–144.
18. McHorney CA, Ware JE Jr. Construction and validation of an alternate form general mental health scale for the Medical Outcomes Study Short-Form 36-Item Health Survey. *Med Care.* 1995;33:15–28.
19. Stratford PW, Binkley JM. A comparison study of the back pain functional scale and Roland Morris questionnaire. North American Orthopaedic Rehabilitation Research Network. *J Rheumatol.* 2000;27:1928–1936.
20. Roter DL, Hall JA, Katz NR. Relations between physicians' behaviors and analogue patients' satisfaction, recall, and impressions. *Med Care.* 1987;25:437–451.
21. Brody DS. An analysis of patient recall of their therapeutic regimens. *J Chronic Dis.* 1980;33:57–63.
22. Cherkin DC, Mootz RD, eds. *Chiropractic in the United States: Training, Practice, and Research.* Rockville, Md: Agency for Health Care Policy and Research, Public Health Service, US Dept of Health and Human Services; 1997. AHCPR publication 98-N002.
23. Hurwitz EL, Coulter ID, Adams AH, Genovese BJ, Shekelle PG. Use of chiropractic services from 1985 through 1991 in the United States and Canada. *Am J Public Health.* 1998;88:771–776.
24. Levinson W, Roter D. The effects of two continuing medical education programs on communication skills of practicing primary care physicians. *J Gen Intern Med.* 1993;8:318–324. 28. Gask L, Goldberg D, Lesser AL, Millar T. Improving the psychiatric skills of the

general practice trainee: an evaluation of a group training course. *Med Educ.* 1988;22:132–138. 29. Ruiz Moral R, Muñoz Alamo M, Alba Jurado M, Pérula de Torres L. Effectiveness of a learner-centred training programme for primary care physicians in using a patient-centred consultation style. *Fam Pract.* 2001;18:60–63